JOURNAL OF CHROMATOGRAPHY

VOL. 534 (1990)

(Biomedical Applications, Vol. 99)

Digitized by the Internet Archive
in 2026

https://archive.org/details/journal-of-chromatography-b_1990_534_contents

JOURNAL *of* CHROMATOGRAPHY

INTERNATIONAL JOURNAL ON CHROMATOGRAPHY, ELECTROPHORESIS AND RELATED METHODS

BIOMEDICAL APPLICATIONS

EDITOR
K. MACEK (Prague)

ASSISTANT EDITORS
A. M. KRSTULOVIĆ (Paris)
U. R. TJADEN (Leiden)

SPECIAL VOLUME EDITOR
Z. DEYL (Prague)

EDITORIAL BOARD

B. G. Belenkii (Leningrad), A. A. Boulton (Saskatoon), U. A. Th. Brinkman (Amsterdam), C. J. W. Brooks (Glasgow), P. R. Brown (Kingston, RI), R. C. Causon (Ewell/Epsom), W. L. Chiou (Chicago, IL), A. P. De Leenheer (Ghent), D. M. Desiderio (Memphis, TN), Z. Deyl (Prague), R. A. de Zeeuw (Groningen), J. W. Drysdale (Boston, MA), F. M. Everaerts (Eindhoven), R. N. Gupta (Hamilton), M. T. W. Hearn (Melbourne), M. G. Horning (Houston, TX), E. Jellum (Oslo), I. M. Kapetanovic (Bethesda, MD), R. E. Kates (Sunnyvale, CA), P. T. Kissinger (West Lafayette, IN), A. Kuksis (Toronto), H. M. Liebich (Tübingen), T. Nagatsu (Nagoya), P. Padieu (Dijon), B.-A. Persson (Mölndal), J. Roboz (New York, NY), E. F. Rossomando (Farmington, CT), N. Seiler (Strasbourg), J. Sjövall (Stockholm), J. Turková (Prague), W. J. A. VandenHeuvel (Rahway, NJ), J. Vink (Oss), J. Wagner (Leipzig)

Vol. 99 1990

ELSEVIER
AMSTERDAM — OXFORD — NEW YORK — TOKYO

© ELSEVIER SCIENCE PUBLISHERS B.V. — 1990

0378-4347/90/$03.50

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means electronic, mechanical, photocopying, recording or otherwise, without the prior written permission of the publisher, Elsevier Science Publishers B.V., P.O. Box 330, 1000 AH Amsterdam, The Netherlands.

Upon acceptance of an article by the journal, the author(s) will be asked to transfer copyright of the article to the publisher. The transfer will ensure the widest possible dissemination of information.

Submission of an article for publication entails the authors' irrevocable and exclusive authorization of the publisher to collect any sums or considerations for copying or reproduction payable by third parties (as mentioned in article 17 paragraph 2 of the Dutch Copyright Act of 1912 and the Royal Decree of June 20, 1974 (S. 351) pursuant to article 16 b of the Dutch Copyright Act of 1912) and/or to act in or out of Court in connection therewith.

Special regulations for readers in the U.S.A. This journal has been registered with the Copyright Clearance Center, Inc. Consent is given for copying of articles for personal or internal use, or for the personal use of specific clients. This consent is given on the condition that the copier pays through the Center the per-copy fee stated in the code on the first page of each article for copying beyond that permitted by Sections 107 or 108 of the U.S. Copyright Law. The appropriate fee should be forwarded with a copy of the first page of the article to the Copyright Clearance Center, Inc., 27 Congress Street, Salem, MA 01970, U.S.A. If no code appears in an article, the author has not given broad consent to copy and permission to copy must be obtained directly from the author. All articles published prior to 1980 may be copied for a per-copy fee of US$ 2.25, also payable through the Center. This consent does not extend to other kinds of copying, such as for general distribution, resale, advertising and promotion purposes, or for creating new collective works. Special written permission must be obtained from the publisher for such copying.

No responsibility is assumed by the Publisher for any injury and/or damage to persons or property as a matter of products liability, negligence or otherwise, or from any use or operation of any methods, products, instructions or ideas contained in the materials herein. Because of rapid advances in the medical sciences, the Publisher recommends that independent verification of diagnoses and drug dosages should be made.

Although all advertising material is expected to conform to ethical (medical) standards, inclusion in this publication does not constitute a guarantee or endorsement of the quality or value of such product or of the claims made of it by its manufacturer.

This issue is printed on acid-free paper.

Printed in The Netherlands

(*Biomedical Applications, Vol. 99*)

CONTENTS

(*Abstracts/Contents Lists published in Analytical Abstracts, Biochemical Abstracts, Biological Abstracts, Chemical Abstracts, Chemical Titles, Chromatography Abstracts, Clinical Chemistry Lookout, Current Contents/Life Sciences, Current Contents/Physical, Chemical & Earth Sciences, Deep-Sea Research/Part B: Oceanographic Literature Review, Excerpta Medica, Index Medicus, Mass Spectrometry Bulletin, PASCAL-CNRS, Pharmaceutical Abstracts, Referativnyi Zhurnal, Research Alert, Science Citation Index and Trends in Biotechnology*)

Positive-ion thermospray liquid chromatography–mass spectrometry: detection of organic acidurias
by D. N. Buchanan, J. Muenzer and J. G. Thoene (Ann Arbor, MI, U.S.A.) (Received August 30th, 1990) . . . 1

Optimization of conditions for the simultaneous separation of ten tryptophan metabolites using reversed-phase high-performance liquid chromatography
by C.-Z. Chuang, F. A. Ragan, Jr. and C. Prasad (Baton Rouge and New Orleans, LA, U.S.A.) (Received August 20th, 1990) . . . 13

Serum amino acid analysis with pre-column derivatization: comparison of the *o*-phthaldialdehyde and N,N-diethyl-2,4-dinitro-5-fluoroaniline methods
by I. Fermo, E. De Vecchi, L. Diomede and R. Paroni (Milan, Italy) (Received July 18th, 1990) . . . 23

Insulin degradation *in vivo*: a high-performance liquid chromatographic analysis
by L. Benzi, P. Cecchetti, A. M. Ciccarone, G. Di Cianni, L. C. Iozzi, F. Caricato and R. Navalesi (Pisa, Italy) (Received July 18th, 1990) . . . 37

Two-dimensional polyacrylamide gel electrophoretic pattern of duodenal tumour proteins
by N. Isoda, E. Kajii, S. Ikemoto and K. Kimura (Tochigi, Japan) (Received May 22nd, 1990) . . . 47

Determination of sodium diethyldithiocarbamate (Imuthiol) and its S-methyl metabolite by gas chromatography–mass spectrometry. Use of deuteromethyl iodide derivatization
by B. Scappaticci, J. Soubeyrand, M. Rousseau-Tsangaris, M. Desage and J. L. Brazier (Lyon, France) and B. Coquet (Marcy l'Etoile, France) (Received August 7th, 1990) . . . 57

Direct determination of styrene-7,8-oxide in blood by gas chromatography with flame ionization detection
by W. Kessler, X. Jiang and J. G. Filser (Neuherberg, F.R.G.) (Received July 27th, 1990) 67

Sensitive method for the determination of pentamorphone in serum by liquid chromatography–mass spectrometry with thermospray interface
by S. R. Keswani, M. J. Edfort, J. A. Wilhelm, L. T. Kvalo and V. S. Venturella (Murray Hill, NJ, U.S.A.) (Received August 29th, 1990) . . . 77

Simultaneous high-performance liquid chromatographic analysis of carbidopa, levodopa and 3-O-methyldopa in plasma and carbidopa, levodopa and dopamine in urine using electrochemical detection
by D. C. Titus (West Point, PA, U.S.A.), T. F. August (Philadelphia, PA, U.S.A.), K. C. Yeh, R. Eisenhandler and W. F. Bayne (West Point, PA, U.S.A.) and D. G. Musson (Claremont, CA, U.S.A.) (Received August 20th, 1990) . . . 87

(*Continued overleaf*)

Determination of 3′-azido-3′-deoxythymidine, 2′,3′-dideoxycytidine, 3′-fluoro-3′-deoxythymidine and 2′,3′-dideoxyinosine in biological samples by high-performance liquid chromatography
by N. Frijus-Plessen, H. C. Michaelis, H. Foth and G. F. Kahl (Göttingen, F.R.G.) (Received July 26th, 1990) 101

Improved fluorometric high-performance liquid chromatographic assay for (−)-carbovir in rat blood and urine
by R. P. Remmel, S.-H. Huang, D. Hoff and C. L. Zimmerman (Minneapolis, MN, U.S.A.) (Received August 29th, 1990) 109

High-performance liquid chromatographic determination of cilastatin and its major metabolite N-acetylcilastatin in rat plasma, urine and bile
by I.-W. Chen, J. Y.-K. Hsieh, J. H. Lin and D. E. Duggan (West Point, PA, U.S.A.) (Received July 17th, 1990) 119

Stereoselective analysis of fenoprofen and its metabolites
by C. Volland, H. Sun and L. Z. Benet (San Francisco, CA, U.S.A.) (Received August 14th, 1990) 127

Determination of 4-amino-1-hydroxybutane-1,1-bisphosphonic acid in urine by automated pre-column derivatization with 2,3-naphthalene dicarboxyaldehyde and high-performance liquid chromatography with fluorescence detection
by W. F. Kline, B. K. Matuszewski and W. F. Bayne (West Point, PA, U.S.A.) (Received July 30th, 1990) 139

High-performance liquid chromatography of the antihistamine pyrilamine and its N-oxide using electrochemical detection
by S. M. Billedeau, C. L. Holder and T. A. Getek (Jefferson, AR, U.S.A.) (Received August 6th, 1990) 151

Determination of betaxolol and its metabolites in blood and urine by high-performance liquid chromatography with fluorimetric detection
by Y. W. J. Wong and T. M. Ludden (San Antonio, TX, U.S.A.) (Received July 31st, 1990) 161

Determination of zonisamide (3-sulphamoylmethyl-1,2-benzisoxazole) in plasma at therapeutic concentrations by high-performance liquid chromatography
by D. J. Berry (London, U.K.) (Received August 23rd, 1990) 173

Notes

Gas chromatographic–mass spectrometric characterisation of unsaturated dicarboxylic acids in urine
by J. J. Pitt (Parkville, Australia) (Received August 23rd, 1990) 182

High-performance liquid chromatographic determination of (Me)Arg–Lys–Pro–Trp–*tert.*-Leu–Leu in plasma
by R. Machida, T. Tokumura, A. Sasaki, Y. Tsuchiya and K. Abe (Ibaraki, Japan) (Received July 18th, 1990) 190

Simultaneous determination of glyceryl trinitrate and its two dinitrate metabolites in plasma and tissues by capillary gas chromatography
by K. Torfgård, J. Ahlner and B. Norlander (Linköping, Sweden) (Received August 21st, 1990) 196

Gas chromatographic analysis of alprazolam in plasma: replicability, stability and specificity
by D. J. Greenblatt (Boston, MA, U.S.A.), J. I. Javaid (Chicago, IL, U.S.A.) and A. Locniskar, J. S. Harmatz and R. I. Shader (Boston, MA, U.S.A.) (Received August 28th, 1990) 202

High-performance liquid chromatographic method for the determination of 3-methylcholanthrene in channel catfish plasma
by S. Choudhury (Monroe, LA, U.S.A.), A. H. Karara (East Hanover, NJ, U.S.A.), L. N. Ace (Monroe, LA, U.S.A.) and V. A. McFarland (Vicksburg, MS, U.S.A.) (Received August 28th, 1990) 208

High-performance liquid chromatography of sulfapyridine and its acetyl and glucuronide metabolites in rat and human urine
by T. B. Vree and M. Martea (Nijmegen, The Netherlands) and L. M. Lewin (Tel Aviv, Israel) (Received July 17th, 1990) 214

Analysis of encainide and its three major metabolites in plasma by column liquid chromatography
by J.-M. Poirier, M. Lebot and G. Cheymol (Paris, France) (Received July 17th, 1990) . . 223

Quantitation of metolazone in urine by high-performance liquid chromatography with fluorescence detection
by D. Farthing, I. Fakhry, T. W. B. Gehr and D. A. Sica (Richmond, VA, U.S.A.) (Received July 25th, 1990) 228

Determination of ornidazole and its main metabolites in biological fluids
by P. Heizman, R. Geschke and K. Zinapold (Basel, Switzerland) (Received August 1st, 1990) 233

Simultaneous determination of ketorelac and its hydroxylated metabolite in plasma by high-performance liquid chromatography
by A. T. Wu and I. J. Massey (Palo Alto, CA, U.S.A.) (Received July 31st, 1990) 241

High-performance liquid chromatography of naftopidil, a novel antihypertensive drug, and two metabolites in human plasma
by G. Niebch and H. O. Borbe (Frankfurt, F.R.G.) and E. Besenfelder (Mannheim, F.R.G.) (Received July 31st, 1990) 247

Sensitive detection and determination of cimetidine in human tissues with high-performance liquid chromatography
by T. Imamura, T. Nagata, K. Kudo, K. Kimura and M. Noda (Fukuoka, Japan) (Received July 31st, 1990) 253

Determination of the 5-lipoxygenase inhibitor (CGS 8515) in plasma by high-performance liquid chromatography using reductive electrochemical detection
by S. K. Kuwahara (Baltimore, MD, U.S.A.) and W. F. Brubaker, E. Williams, S. Tripp, F. L. Douglas and A. N. Kotake (Summit, NJ, U.S.A.) (Received July 25th, 1990) 260

Measurement of 4-hydroxyanisole in serum by direct injection high-performance liquid chromatography
by C. M. Dawson, H. J. C. R. Belcher, S. J. Rainbow and T. R. Tickner (Norwich, U.K.) (Received July 30th, 1990) 267

High-performance liquid chromatographic assay of sotalol: improved procedure and investigation of peak broadening
by R. Urech, L. Chan and P. Duffy (Brisbane, Australia) (Received July 30th, 1990) . . . 271

High-performance liquid chromatographic analysis of chlorambucil *tert.*-butyl ester and its active metabolites chlorambucil and phenylacetic mustard in plasma and tissue
by N. H. Greig, P. L. Stahle and H. U. Shetty (Bethesda, MD, and San Francisco, CA, U.S.A.), S. Genka (Bethesda, MD, U.S.A.), V. John (South San Francisco, CA, U.S.A.) and T. T. Soncrant and S. I. Rapoport (Bethesda, MD, U.S.A.) (Received July 17th, 1990) . . 279

(Continued overleaf)

Letters to the Editor

Determination of psilocin in rat urine by high-performance liquid chromatography with electrochemical detection
by R. Kysilka (Prague, Czechoslovakia) (Received July 23rd, 1990) 287

Determination of pyridostigmine plasma concentrations by high-performance liquid chromatography
by H. C. Michaelis (Göttingen, F.R.G.) (Received August 6th, 1990) 291

Book Review

Immobilized pH gradients: theory and methodology (by P. G. Righetti), reviewed by P. Boček (Brno, Czechoslovakia) 295

Related articles published in Journal of Chromatography, Vols. 522–523 296

Author Index 298

Compound Index 301

Errata 304

In articles with more than one author, the name of the author to whom correspondence should be addressed is indicated in the article heading by a 6-pointed asterisk (*)